



RIFLESCOPES

2021 SPEC SHEET

1 OF 4

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO STOP	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION TOTAL TRAVEL	MAX WINDAGE TOTAL TRAVEL	PARALLAX SETTING	LENGTH	WEIGHT				
Razor[®] HD AMG[™]																				
RZR-AMG-5	6-24x50	FFP	EBR-7B MRAD	Yes	3.6"	20.4' - 5.1'	L-Tec [™]	Exposed	30mm	.1 MRAD	10 MRAD	27.5 MRAD*	19 MRAD*	25 yds. - ∞	14.9"	28.8 oz.				
RZR-AMG-4			EBR-7B MOA							1/4 MOA	25 MOA	94.5 MOA*	65 MOA*							
Razor[®] HD Gen III																				
RZR-11002	1-10x24	FFP	EBR-9 MRAD	Yes	3.6"	116.0' - 11.7'	N/A	Capped	34mm	.1 MRAD	10 MRAD	30 MRAD	30 MRAD	150 yds.	10.1"	21.5 oz.				
RZR-11001			EBR-9 BDC MOA							1/4 MOA	25 MOA	120 MOA	120 MOA							
Razor[®] HD Gen II																				
RZR-42709	4.5-27x56	FFP	Horus [™] H59 [™] MRAD	Yes	3.7"	25.3' - 4.4'	L-Tec [™]	Exposed	34mm	.1 MRAD	10 MRAD	33 MRAD*	14 MRAD*	32 yds. - ∞	14.4"	48.5 oz.				
RZR-42710			Horus [™] Tremor3 [™] MRAD																	
RZR-42708			EBR-7C MRAD																	
RZR-42707			EBR-7C MOA														1/4 MOA	25 MOA	113.5 MOA*	48 MOA*
RZR-31805			3-18x50														FFP	EBR-7C MRAD	Yes	3.7"
RZR-31804	EBR-7C MOA	1/4 MOA		25 MOA	120 MOA*	69 MOA*														
Razor[®] HD Gen II-E																				
RZR-16009	1-6x24	SFP	VMR-2 MRAD	Yes	4.0"	115.2' - 20.5'	N/A	Capped	30mm	.2 MRAD	20 MRAD	43 MRAD	43 MRAD	100 yds.	10.1"	21.5 oz.				
RZR-16010			VMR-2 MOA							1/2 MOA	50 MOA	150 MOA	150 MOA							
RZR-16008			JM-1 BDC MOA																	
Razor[®] HD LHT[™]																				
RZR-31503	3-15x50	SFP	G4i BDC MRAD	Yes	3.8"	35.3' - 7.0'	RevStop [™]	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	23 MRAD*	23 MRAD	20m - ∞	13.6"	20.5 oz.				
RZR-31502	3-15x42	SFP	HSR-5i MRAD	Yes	3.8"	35.3' - 7.0'	RevStop [™]	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	23 MRAD*	23 MRAD	20m - ∞	13.4"	19.1 oz.				
RZR-31501			HSR-5i MOA							1/4 MOA	15 MOA	80 MOA*	80 MOA	20 yds. - ∞						
Razor[®] HD																				
RZR-52006	5-20x50	FFP	EBR-2B MRAD	Yes	3.9"	22.5' - 5.8'	RZR [™]	Exposed	35mm	.1 MRAD	10 MRAD	36 MRAD	36 MRAD	40 yds. - ∞	15.8"	37.0 oz.				
RZR-52005			EBR-2B MOA							1/4 MOA	25 MOA	125 MOA	125 MOA							



RIFLESCOPES

2021 SPEC SHEET

2 OF 4

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO STOP	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION TOTAL TRAVEL	MAX WINDAGE TOTAL TRAVEL	PARALLAX SETTING	LENGTH	WEIGHT
Golden Eagle™ HD																
TCS-1503	15-60x52	SFP	ECR-1 MOA	No	3.9"	6.3' - 1.7'	N/A	Exposed	30mm	1/8 MOA	10 MOA	55 MOA	45 MOA	20 yds. - ∞	16.1"	29.7 oz.
TCS-1501			SCR-1 MOA													
Viper™ PST Gen II																
PST-5259	5-25x50	FFP	EBR-7C MRAD	Yes	3.4"	24.1' - 4.8'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	20 MRAD	10 MRAD	25 yds. - ∞	15.8"	31.2 oz.
PST-5256			EBR-7C MOA							1/4 MOA	25 MOA	70 MOA	35 MOA			
PST-5251		SFP	EBR-4 MOA													
PST-3159	3-15x44	FFP	EBR-7C MRAD	Yes	3.4"	41.2' - 8.6'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	22 MRAD	11 MRAD	20 yds. - ∞	14.3"	28.1 oz.
PST-3156			EBR-7C MOA							1/4 MOA	25 MOA	75 MOA	40 MOA			
PST-3151		SFP	EBR-4 MOA													
PST-2105	2-10x32	FFP	EBR-4 MRAD	Yes	3.2"	58.3' - 11.7'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	26 MRAD	26 MRAD	20 yds. - ∞	12.6"	26.3 oz.
PST-2101			EBR-4 MOA							1/4 MOA	25 MOA	90 MOA	90 MOA			
PST-1607	1-6x24	SFP	VMR-2 MRAD	Yes	3.8"	112.5' - 18.8'	N/A	Capped	30mm	.2 MRAD	16 MRAD	46 MRAD	46 MRAD	100 yds.	10.8"	22.7 oz.
PST-1605			VMR-2 MOA							1/2 MOA	40 MOA	160 MOA	160 MOA			
Viper™ HST																
VHS-4310	6-24x50	SFP	VMR-1 MRAD	No	4.0"	17.8' - 5.1'	CRS™	Exposed	30mm	.1 MRAD	5 MRAD	19 MRAD	19 MRAD	50 yds. - ∞	15.4"	22.6 oz.
VHS-4325			VMR-1 MOA							1/4 MOA	12 MOA	65 MOA	65 MOA			
VHS-4308	4-16x44	SFP	VMR-1 MRAD	No	4.0"	27.4' - 7.4'	CRS™	Exposed	30mm	.1 MRAD	5 MRAD	21 MRAD	21 MRAD	50 yds. - ∞	13.3"	20.8 oz.
VHS-4309			VMR-1 MOA							1/4 MOA	12 MOA	75 MOA	75 MOA			



RIFLESCOPES

2021 SPEC SHEET

3 OF 4

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO STOP	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION TOTAL TRAVEL	MAX WINDAGE TOTAL TRAVEL	PARALLAX SETTING	LENGTH	WEIGHT
Viper® HSLR™																
VHS-4315-LR	6-24x50	FFP	XLR MOA	No	4.0"	17.8' - 5.1'	CRS™	Elevation: Exposed Windage: Capped	30mm	Elevation: 1/2 MOA Windage: 1/4 MOA	Elevation: 24 MOA Windage: 12 MOA	65 MOA	42 MOA	50 yds. - ∞	15.4"	22.4 oz.
VHS-4307-LR	4-16x50	SFP	Dead-Hold® BDC MOA	No	4.0"	27.4' - 7.4'	CRS™		30mm	Elevation: 1/2 MOA Windage: 1/4 MOA	Elevation: 24 MOA Windage: 12 MOA	75 MOA	50 MOA	50 yds. - ∞	13.6"	21.4 oz.
Viper® HS™																
VHS-4307	4-16x50	SFP	Dead-Hold® BDC MOA	No	4.0"	27.4' - 7.4'	N/A	Capped	30mm	1/4 MOA	12 MOA	50 MOA	50 MOA	50 yds. - ∞	13.6"	20.4 oz.
VHS-4305	4-16x44	SFP	Dead-Hold® BDC MOA	No	4.0"	27.4' - 7.4'	N/A	Capped	30mm	1/4 MOA	12 MOA	50 MOA	50 MOA	50 yds. - ∞	13.4"	18.4 oz.
VHS-4303	2.5-10x44	SFP	Dead-Hold® BDC MOA	No	4.0"	47.0' - 10.9'	N/A	Capped	30mm	1/4 MOA	12 MOA	86 MOA	86 MOA	100 yds.	12.0"	16.5 oz.
Viper®																
VPR-M-06BDC	6.5-20x50	SFP	Dead-Hold® BDC MOA	No	3.1"	17.4' - 6.2'	N/A	Capped	30mm	1/4 MOA	12 MOA	65 MOA	65 MOA	50 yds. - ∞	14.4"	21.6 oz.
VPR-M-06MD			Mil Dot MOA													
Strike Eagle™																
SE-52504	5-25x56	FFP	EBR-7C MRAD	Yes	3.7"	24.0' - 5.2'	RevStop™	Exposed	34mm	.1 MRAD	10 MRAD	31 MRAD*	23 MRAD	15 yds. - ∞	14.6"	30.4 oz.
SE-52503			EBR-7C MOA							1/4 MOA	25 MOA	110 MOA*	78 MOA			
SE-1824-2	1-8x24	SFP	AR-BDC3 MOA	Yes	3.5"	109.0' - 14.4'	N/A	Capped	30mm	1/2 MOA	44 MOA	140 MOA	140 MOA	100 yds.	10.0"	17.6 oz.
SE-1624-2	1-6x24	SFP	AR-BDC3 MOA	Yes	3.5"	116.5' - 19.2'	N/A	Capped	30mm	1/2 MOA	44 MOA	140 MOA	140 MOA	100 yds.	10.5"	18.5 oz.
Diamondback® Tactical																
DBK-10029	6-24x50	FFP	EBR-2C MRAD	No	3.9"	18.0' - 4.5'	N/A	Exposed	30mm	.1 MRAD	6 MRAD	19 MRAD	19 MRAD	10 yds. - ∞	14.3"	24.6 oz.
DBK-10028			EBR-2C MOA							1/4 MOA	15 MOA	65 MOA	65 MOA			
DBK-10027	4-16x44	FFP	EBR-2C MRAD	No	3.8"	26.9' - 6.7'	N/A	Exposed	30mm	.1 MRAD	6 MRAD	25 MRAD	25 MRAD	20 yds. - ∞	14.1"	23.1 oz.
DBK-10026			EBR-2C MOA							1/4 MOA	15 MOA	85 MOA	85 MOA			
DBK-10025	4-12x40	SFP	VMR-1 MOA	No	3.9"	23.6' - 7.9'	N/A	Exposed	1"	1/4 MOA	12 MOA	70 MOA	70 MOA	100 yds.	14.1"	16.2 oz.
Diamondback® HP Canadian Exclusive for 2021																
DBK-10019	4-16x42	SFP	Dead-Hold® BDC MOA	No	4.0"	23.8' - 6.1'	N/A	Capped	1"	1/4 MOA	15 MOA	80 MOA	80 MOA	30 yds. - ∞	12.5"	18 oz.



RIFLESCOPES

2021 SPEC SHEET

4 OF 4

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO STOP	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION TOTAL TRAVEL	MAX WINDAGE TOTAL TRAVEL	PARALLAX SETTING	LENGTH	WEIGHT
Diamondback®																
DBK-04-BDC	4-12x40	SFP	Dead-Hold® BDC MOA	No	3.1"	32.4' - 11.3'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	12.0"	14.6 oz.
DBK-03-BDC	3.5-10x50	SFP	Dead-Hold® BDC MOA	No	3.3"	35.8' - 13.5'	N/A	Capped	1"	1/4 MOA	15 MOA	65 MOA	65 MOA	100 yds.	12.5"	16.2 oz.
DBK-01-BDC	3-9x40	SFP	Dead-Hold® BDC MOA	No	3.3"	44.6' - 14.8'	N/A	Capped	1"	1/4 MOA	15 MOA	70 MOA	70 MOA	100 yds.	11.6"	14.4 oz.
DBK-M-01P			V-Plex MOA													
DBK-RIM	2-7x35 Rimfire	SFP	V-Plex MOA	No	3.1"	64.3' - 19.3'	N/A	Capped	1"	1/4 MOA	15 MOA	100 MOA	100 MOA	50 yds.	11.6"	14.2 oz.
DBK-08-BDC	1.75-5x32	SFP	Dead-Hold® BDC MOA	No	3.5"	68.3' - 23.1'	N/A	Capped	1"	1/4 MOA	15 MOA	125 MOA	125 MOA	100 yds.	10.2"	12.8 oz.
Crossfire® II																
CF2-31045	6-24x50	SFP	Dead-Hold® BDC MOA	No	4.0"	17.3' - 4.4'	N/A	Capped	30mm	1/4 MOA	15 MOA	40 MOA	40 MOA	10 yds. - ∞	14.5"	23.6 oz.
CF2-31029	6-18x44	SFP	V-Brite® MOA	Yes	3.7"	15.2' - 5.2'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	10 yds. - ∞	13.8"	19.6 oz.
CF2-31033			Dead-Hold® BDC MOA	No												
CF2-31039	4-16x50	SFP	Dead-Hold® BDC MOA	No	3.7"	25.0' - 3.7'	N/A	Capped	30mm	1/4 MOA	15 MOA	50 MOA	50 MOA	25 yds. - ∞	14.4"	23.6 oz.
CF2-31023	4-12x50	SFP	Dead-Hold® BDC MOA	No	3.9"	25.7' - 8.4'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	10 yds. - ∞	14.3"	20.6 oz.
CF2-31015	4-12x44	SFP	Dead-Hold® BDC MOA	No	3.9"	24.7' - 8.4'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	100 yds.	13.2"	15.5 oz.
CF2-31013			V-Plex MOA													
CF2-31019	4-12x40	SFP	Dead-Hold® BDC MOA	No	3.9"	24.7' - 8.4'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	10 yds. - ∞	13.6"	19.2 oz.
CF2-31049	3-12x56 Hog Hunter	SFP	V-Brite® MOA	Yes	3.5"	36.7' - 9.2'	N/A	Capped	30mm	1/4 MOA	15 MOA	60 MOA	60 MOA	10 yds. - ∞	13.5"	27.7 oz.
CF2-31027	3-9x50	SFP	V-Brite® MOA	Yes	3.8"	32.0' - 12.9'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	12.8"	18.4 oz.
CF2-31011			Dead-Hold® BDC MOA	No												
CF2-31025	3-9x40	SFP	V-Brite® MOA	Yes	3.8"	34.1' - 12.6'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	11.9"	15.0 oz.
CF2-31007			Dead-Hold® BDC MOA	No												
CF2-31005			V-Plex MOA	No												
CF2-CB1	2-7x32 Crossbow Kit	SFP	XBR-2® MOA	Yes	2.7"	57.5' - 16.4'	N/A	Capped	30mm	1/2 MOA	30 MOA	160 MOA	160 MOA	75 yds.	9.5"	14.0 oz.
CF2-31002	2-7x32 Scout	SFP	V-Plex MOA	No	9.5"	18.3' - 5.2'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	10.7"	12.0 oz.
CF2-31001R	2-7x32 Rimfire	SFP	V-Plex MOA	No	3.9"	42.0' - 12.6'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	50 yds.	10.7"	14.3 oz.
CF2-31003	2-7x32	SFP	Dead-Hold® BDC MOA	No	3.9"	42.0' - 12.6'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	10.7"	14.3 oz.
CF2-31001			V-Plex MOA													
CF2-31037	1-4x24	SFP	V-Brite® MOA	Yes	4.0"	96.1' - 24.1'	N/A	Capped	30mm	1/2 MOA	30 MOA	100 MOA	100 MOA	100 yds.	9.6"	15.6 oz.